

Duke Energy Convention Center

Cincinnati Fire Prevention Hazardous Display Application

All materials used throughout the exhibition area for scenery or decoration shall be treated with a approved flame retardant product. Materials treated must meet the "Match Flame Test".

ITEMS THAT REQUIRE SPECIAL APPROVAL:

- 1 To use or store flammable liquids, compressed gases, or hazardous products.
- 2 To display and/or operate any heat producing, open flame, candles, lamps, lanterns, torches, etc.
- 3 To operate any electrical, mechanical or chemical device which may be deemed hazardous by the Fire Official.
- 4 Any auto, truck, boat, motorcycle, or other fuel propelled or powered equipment. (See separate form for temporary use or display of gasoline or diesel motor vehicles and equipment.

Application for use or display of _____

List person who will be in charge of display and/or demonstration for your company

List type and description of activity to be conducted (including the type and amount of fuel chemical, etc., and number of units)

List time and date of arrival _____

FIRE DEPARTMENT ONLY

Restrictions for use, display, etc. _____

Approved _____ Disapproved _____ Modifications required before approval _____

Date _____ Name/Title _____

Approval is valid for the duration of the show or activity and is contingent on safe operation and display.

Name of Event _____ Date of Event _____ Booth No. _____

Firm Name _____ Phone No. _____

Firm Address _____

STREET

CITY

ZIP

Ordered By _____ Signature _____ Date _____

(PRINT OR TYPE NAME & TITLE)

Return form with payment (see Payment Form) to:

**Duke Energy Convention Center, Attn: Facility Services, 525 Elm Street,
Cincinnati, OH 45202 Phone: (513) 419-7300 Fax: (513) 419-7327**